

包装資材をトータルコーディネート

TRIO

2026 年度版

工業用トレー規格品

製品一覧表

株式会社トリオパッケージ

トリオパッケージ(株)2026年製品一覧表

2026年5月改訂

品番	マス目(小さい順)			トレ-外寸			入り数	材質	厚み	マス数	形状	スタック
	縦	横	高さ	縦	横	高さ						
TW200-1	5	5	10	133	253	10	500	A-PET	0.3	200	φ7.5×10	
TW25-4	7	180	7	210	260	7	600	A-PET	0.35	25		
TM500φ-1	8	8	13	316	413	13	150	A-PET	0.5	500	φ12×13	
TM20-3	8.5	156	15	181	316	15	500	A-PET	0.3	20		
TW40-1W	10	45	10	192	280	10	500	A-PET	0.3	40		●
TW20-1	10.4	159	14.5	210	285	14.5	500	A-PET	0.3	20		
TM60-1	11	42	15	170	295	15	500	A-PET	0.4	60		
TW20-5	11	174	13	189	349	13	500	A-PET	0.35	20		
TW30-1W	11.5	106	17	248	364	17	350	A-PET	0.5	30		●
TW150-1P	12	12	12	178	264	13	400	PP	0.5	150		
TW120-1	12.5	19.5	3	173	281	7	500	A-PET	0.3	120		
TW45-1	13	66.5	15	232	284	15	500	A-PET	0.4	45		
TW125φ-2PSW	13	13	9	259	270	9	600	PS	0.3	125	φ19×9	●
TW30-4W	13.8	45.8	11.5	191	265	18	500	A-PET	0.35	30		●
TW80-1	14	26.5	7	244	282	7	500	A-PET	0.3	80		
TM80-1	14.5	25.5	15	209	257	15	500	A-PET	0.4	80		
TM176-1	15	18	16	263	339	16	400	A-PET	0.4	176		
TM50-6	15	19.5	16.5	132	212	16.5	800	A-PET	0.4	50		
TM80φ-2W	15	15	10.2	244	332	10.5	500	A-PET	0.3	80	φ22.5×10.2	●
TW8-3W	15	192	14	193	227	15	500	A-PET	0.4	8		●
TW100-2P	15	21	15	207	257	15	300	PP	0.5	100		
TW100-4	15	27	3	196	318	7	500	A-PET	0.3	100		
TW100φ-1	15	15	10	280	280	10	500	A-PET	0.3	100	φ22.5×10	
TW100-6W	15	42	8	275	438	8	400	A-PET	0.35	100		●
TW100-5	15.5	19.5	7	244	281	7	500	A-PET	0.3	100		
TM100-1	15.6	49.6	15	315	413	15	150	A-PET	0.5	100		
TW100-1P	15.8	20.7	15.4	207	256	15.8	500	PP	0.4	100		
TM100-3	16	21	16	209	259	16	500	A-PET	0.3	100		
TW10-6PSW	16	176	20	206	270	23	500	PS	0.4	10		●
TW50-3PS	16	67	17	224	400	17	300	PS	0.5	50		
TM30-4W	16	80	16	208	270	16.4	500	A-PET	0.35	30		●
TM100-2	17	17	28	256	256	28	500	A-PET	0.4	100		
TW60-2	17	35	12	190	381	12	500	A-PET	0.4	60		
TW100-3P	17	25	15	205	285	15	500	PP	0.5	100		

トリオパッケージ(株)2026年製品一覧表

2026年5月改訂

品番	マス目(小さい順)			トレイ外寸			入り数	材質	厚み	マス数	形状	スタック
	縦	横	高さ	縦	横	高さ						
TW125-1P	17	17	10	206	266	10	500	PP	0.4	125		
TW50-1P	17.7	31.5	24.6	200	254	25.1	400	PP	0.5	50		
TM50-4	18	32	25	200	255	25	500	A-PET	0.4	50		
TW20-3W	18	114	20	254	254	20	250	A-PET	0.35	20		●
TW20-6PS	18.5	148	18	253	341	18	250	PS	0.35	20		
TM50-5P	19	33	22.6	200	255	23	500	PP	0.4	50		
TW63φ-1W	19	19	15	281	285	15	500	A-PET	0.35	63	φ27×15	●
TM50-7	19.2	33.2	22.6	202	257	23	500	A-PET	0.35	50		
TM50-1	19.5	33.7	10	209	266	10	600	A-PET	0.3	50		
TM130-1	20	20	17	263	338	17	400	A-PET	0.4	130		
TM50-3	20	61.5	36	285	350	36	300	A-PET	0.5	50		
TW50-2P	20	33	23	210	267	23	500	PP	0.4	50		
TW60-1	20	25	28	200	277	28	300	A-PET	0.5	60		
TM60-2W	21	29	10	200	254	16	500	A-PET	0.35	60		●
TW52φ-1W	21	21	19	279	279	19	500	A-PET	0.35	52	φ31×19	●
TW60φ-3PS	21	21	17	240	404	17	300	PS	0.5	60	φ31×17	
TM40-1	22	31	27	202	255	27	600	A-PET	0.35	40		
TM50-8PW	22	38	23	260	320	23.4	300	PP	0.4	50		●
TW30φ-2P	22	22	20	194	247	20	600	PP	0.4	30	φ32×20	
TM50-9W	22.1	38.2	23	263	323	23.4	300	A-PET	0.4	50		●
TM70-1	24	28	16	236	300	16	500	A-PET	0.4	70		
TW70-2PS	24	28	16	236	300	16	500	PS	0.35	70		
TW70-3PS	24.8	24.8	11.5	231	319	15	300	PS	0.4	70		
TM50-2W	25	46	22	265	334	22	250	A-PET	0.4	50		
TW50-4PP	25	36	20	205	285	20	600	PP	0.5	50		
TM16-1	25.5	128	30	263	279	30.4	500	A-PET	0.5	16		
TM24-1	26	90	30	267	291	30	400	A-PET	0.4	24		
TM39-1	26	90	33	324	482	33.4	200	A-PET	0.4	39		
TM24-2W	27	59	20	203	264	20.4	500	A-PET	0.3	24		●
TW10-4PS	27	161	28.5	195	359	28.5	250	PS	0.4	10		
TW70-1PS	29	26	16	237	301	16	250	PS	0.4	70		
TW64-1P	30	30	30	287	287	30	150	PP	1.0	64		
TM20φ-4	31	31	23	208	270	23	500	A-PET	0.4	20	φ45×23	
TW-25-3P	31	43	33	210	267	33	500	PP	0.4	25		

トリオパッケージ(株)2026年製品一覧表

2026年5月改訂

品番	マス目(小さい順)			トレイ外寸			入り数	材質	厚み	マス数	形状	スタック
	縦	横	高さ	縦	横	高さ						
TW25-5P	31	50	21	194	284	21	600	PP	0.4	25		
TW56-2W	31	58	34	322	480	34	200	A-PET	0.4	56		●
TW25-2P	31.5	43.3	34.5	202	260	35	500	PP	0.5	25		
TM25-2	32	44	34	202	262	34	500	A-PET	0.4	25		
TW56-1	32	59	28	320	480	28	150	A-PET	0.5	56		
TM30-2W	33	33	14	214	244	15.5	500	A-PET	0.4	30		●
TM15-2	33	36	15	132	237	30	500	A-PET	0.4	15		
TM20-5	33	36	16	172	238	30	500	A-PET	0.4	20		
TW25-7P	33	44	20	202	262	20	600	PP	0.4	25		
TW25-1	33	53.5	35	212	321	35	500	A-PET	0.4	25		
TM25-1	34	37	15	215	238	30	500	A-PET	0.4	25		
TM30-1	34	34	15	215	259	30	500	A-PET	0.5	30		
TM25-3	34	63	39	281	404	41	300	A-PET	0.4	25		
TW10-5PS	34	286	36	334	492	37.5	80	PS	1.0	10		
TW25-8P	35	45	27	200	255	27	500	PP	0.3	25		
TW20-2PS	36	43	42	228	229	42	400	PS	0.5	20		
TW20φ-8W	38	38	14	280	280	14	500	A-PET	0.35	20	φ54.6×14	●
TM60-3	40	40	40	280	458	40.4	200	A-PET	0.4	60		
TW25-6P	40	50	20	248	296	20	600	PP	0.5	25		
TW36-1P	40	58	37	280	395	37	200	PP	0.4	36		
TM20-6W	41	41	14	214	244	15.5	500	A-PET	0.4	20		●
TW5-1P	41	200	47	220	266	47	350	PP	0.6	5		
TW12-4PSW	41	109	5	229	305	10.5	500	PS	0.3	12		●
TM8-2W	42	76	12	212	242	12	500	A-PET	0.4	8		●
TM20φ-8W	42	42	15	262	376	19	250	A-PET	0.3	20	φ60×15	●
TW10-2P	42	96	35	218	262	35	400	PP	0.5	10		
TM12-3W	43	80	34	210	268	34.4	500	A-PET	0.4	12		●
TW10-1P	43.3	97.5	35	219	265	35	400	PP	0.5	10		
TW15-3	43.5	57.5	35	208	273	35	400	A-PET	0.4	15		
TM10-2	44	99	35	219	265	36	400	A-PET	0.4	10		
TW15-2P	44	60	27	210	267	27	500	PP	0.4	15		
TW50-5PSW	44	56	6	329	528	10	250	PS	0.4	50		●
TM20-9	44	99	35	265	443	35	250	A-PET	0.4	20		
TM40-2	44.7	44.7	50	320	450	50.4	200	A-PET	0.5	40		

トリオパッケージ(株)2026年製品一覧表

2026年5月改訂

品番	マス目(小さい順)			トレ-外寸			入り数	材質	厚み	マス数	形状	スタック
	縦	横	高さ	縦	横	高さ						
TM15-1	45	61	25.5	209	264	25.5	500	A-PET	0.4	15		
TW15-1P	45.7	59.6	24.7	207	267	25.2	500	PP	0.5	15		
TM10-1	46	88	25	204	266	25	500	A-PET	0.4	10		
TW15-6P	46	60	27	200	255	27	500	PP	0.3	15		
TM12-1	47	47	32	178	230	32	500	A-PET	0.4	12		
TW10-3	47	89	25	205	268	25	500	A-PET	0.4	10		
TW28-1PW	48	57	51	274	448	51	200	PP	0.8	28		●
TM20-7	49	77	40	290	346	40	300	A-PET	0.4	20		
TW21-1W	50	120	40	392	439	40	150	A-PET	0.4	21		●
TM12-2W	51	51	14	214	244	15.5	500	A-PET	0.4	12		●
TW15-4W	52	132	40	391	440	40	150	A-PET	0.4	15		●
TW30-3P	52	60	20	280	400	20	300	PP	0.3	30		
TM30φ-3	53	53	27	401	550	27	150	A-PET	0.35	30	φ75×27	
TW12-2P	56	178	30	392	432	30	200	PP	0.4	12		
TM15-3	57	57	30	210	355	30	150	A-PET	0.5	15		
TM20-2	59	73	30	284	423	30	300	A-PET	0.4	20		
TW20-7W	59	62	50	282	397	50	150	A-PET	0.6	20		●
TM6φ-2	60	60	35	220	310	35	500	A-PET	0.4	6	φ85×35	
TW12φ-3	61	61	8	285	380	12.5	500	A-PET	0.3	12	φ86×8	
TM20-1	63	67	16	286	376	16	500	A-PET	0.3	20		
TW15-5PS	65	65	65	245	462	65	200	PS	0.5	15		
TW12-1	72.5	75.5	25	272	365	25	300	A-PET	0.3	12		
TW20-4W	74	84	16	399	441	18	170	A-PET	0.4	20		●
TW15-7PW	81	81	71	276	454	71	150	PP	1.0	15		●
TW54φ-1	82	82	11	358	536	11	100	A-PET	0.4	54	φ58×11	
TM6-1	83	91	51.5	204	279	51.5	400	A-PET	0.4	6		
TW8-1PS	100	100	62	240	454	62	200	PS	0.5	8		
TW8-2	114	114	23	258	506	23	250	A-PET	0.4	8		
TW6-1P	120	120	35	260	400	38	150	PP	0.3	6		
TW1-1P	263	405	88	302	459	88	100	PP	1.0	1		

お客様のご都合に合わせて下記アイコンからお問合せ方法をお選びください。



弊社ホームページ
お問い合わせフォーム

Tel:047-394-4780
Fax:047-394-4790



弊社公式LINE
スマホでも
簡単問い合わせ

(株)トリオパッケージ製品一覧表(受注生産品)

受注生産のため納期に10日前後お時間を頂きますが、枚数は**10枚単位**でご注文いただけます。

2026年 5月改訂

品番	マス目(小さい順)			トレー外寸			材質	厚み	マス数	形状	スタック
	縦	横	高さ	縦	横	高さ					
TJW2-1W	61	294	19	186	340	22	A-PET	0.4	2		●
TJW2-2W	77	243	15	218	289	18	A-PET	0.4	2		●
TJW2-3W	98	286	32	268	334	35	A-PET	0.4	2		●
TJW2-4W	107	315	32	286	363	35	A-PET	0.4	2		●
TJW2-5W	210	339	30	363	500	50	A-PET	0.6	2		●
TJW4-1W	80.6	124.2	8.5	224.4	300	11.5	A-PET	0.4	4		●
TJW5-1W	26	123.8	14	133.8	244.5	14	A-PET	0.5	5		●
TJW5-1PW	50.4	175.6	7	196	294	10	PP	0.5	5		●
TJW6φ-1	91	91	36	297	458	36	A-PET	0.5	6	φ130×36	
TJW9-1P	27	72	15	113	247	30	PP	0.4	9		
TJW10-1	44.5	106.1	12	244	263	15	A-PET	0.4	10		
TJW10-2PW	32.2	70	20	210	297	24	PP	0.6	10		●
TJW12-1W	24	159	48	240	360	48	A-PET	0.5	12		●
TJW12-2W	46	46	9	204	241	15	A-PET	0.4	12		●
TJW12-3W	51	51	9	204	241	15	A-PET	0.4	12		●
TJW12-4W	51	51	12	204	241	15	A-PET	0.4	12		●
TJW15φ-1P	26	26	15.5	160	284	15.5	PP	0.5	15	φ37×15.5	
TJW15-2	62	113	50	378	416	50	A-PET	0.8	15		
TJW16-1PW	74.7	112.6	23	336	544	23	PP	0.5	16		●
TJW20-1	41	41	7	204	241	15	A-PET	0.4	20		
TJW20-2	41	41	8.5	204	241	15	A-PET	0.4	20		
TJW20φ-3	30	30	17	324	390	17	A-PET	0.4	20	φ43.6×17	
TJW20-4W	42.8	79.2	10	280	400	16	A-PET	0.4	20		●
TJW20-5PW	46	91	20	280	564	20	PP	0.5	20		●
TJW20-6W	48	91	13	305	420	16	A-PET	0.5	20		●
TJW20-7W	60	66.5	7.5	269	485	10	A-PET	0.5	20		●
TJW20-8W	37	50	6.5	257	272	10.5	A-PET	0.4	20		●
TJW20φ-9W	24	24	8	182	235	14	A-PET	0.4	20	φ34×8	●
TJW25-1	34	63	39	281	404	41	A-PET	0.5	25		
TJW25-2W	41	51	14.5	277	313	18.5	A-PET	0.4	25		●
TJW25φ-3PW	32	32	13.2	330	330	14	PP	0.8	25	φ46×13.2	●
TJW30φ-1	24	24	13	324	390	13	A-PET	0.5	30	φ34.7×13	
TJW30φ-2	26	26	14.5	287	334	14.5	A-PET	0.7	30	φ37×14.5	
TJW33-1PSW	48.1	97	8.9	326	638	20	PS	0.8	33		●


(株)トリオパッケージ製品一覧表(受注生産品)

受注生産のため納期に10日前後お時間を頂きますが、枚数は**10枚単位**でご注文いただけます。

2026年5月改訂

品番	マス目(小さい順)			トレイ外寸			材質	厚み	マス数	形状	スタック
	縦	横	高さ	縦	横	高さ					
TJW49φ-1PW	24	24	9.5	330	330	14	PP	0.8	49	φ34×9.5	●
TJW49φ-2W	21	21	15	275	275	18	A-PET	0.4	49	φ30×15	●
TJW50-1	19	27	14	201	256	20	A-PET	0.4	50		
TJW50-2	21	26	26.7	202	317	28.5	A-PET	0.4	50		
TJW50-3PSW	6.2	56.4	4	320	380	13	PS	0.5	50		●
TJW50-4PSW	17	19	26	206	270	26	PS	1.2	50		●
TJW52φ-1W	24	24	24	295	450	30	A-PET	0.5	52	φ34×24	●
TJW64φ-1PW	19	19	7	330	330	14	PP	0.8	64	φ27.7×7	●
TJW64φ-2PW	21	21	7	330	330	14	PP	0.8	64	φ29.8×7	●
TJW64φ-3PW	24	24	7	330	330	14	PP	0.8	64	φ35×7	●
TIW80-1PW	12.4	32	15	290	385	15	PP	0.5	80		●
TJW100-1PW	11	54.8	15	290	385	15	PP	0.5	100		●
TJW100-2PSW	13	47	15	280	440	19	PS	0.5	100		●
TJW120-1	10.1	21	2.8	180	255	7	A-PET	1	120		
TJW120-2PSW	3	49	5	290	290	15	PS	0.4	120		●
TJW200φ-1PSW	2.8	2.8	6.5	210	290	10	PS	0.5	200	φ4×6.5	●
TJW200-2PSW	15	15	15	239	339	15.4	PS	0.4	200		●
TJW300-1W	5.5	5.5	1.5	166	226	6	A-PET	0.4	300		●

お客様のご都合に合わせて下記アイコンからお問合せ方法をお選びください。



弊社ホームページ
お問い合わせフォーム

Tel:047-394-4780
Fax:047-394-4790



弊社公式LINE
スマホでも
簡単問い合わせ